

CHAUVET

CHAUVET WORLDWIDE HEADQUARTERS
SUNRISE, FLORIDA USA



| | |
|----------------|----------------|
| MODEL: | BOBLED |
| ITEM CODE: | 02050057 |
| FUSE: | T 1 A, 250 V |
| POWER LINKING: | N/A |
| ORIGIN: | MADE IN P.R.C. |

THIS APPLIANCE MUST BE GROUNDED
CETTE UNITÉ DOIT ÊTRE RELIÉE À LA TERRE
USE ONLY FUSE OF SAME TYPE & RATING
N'UTILISER QUE DES FUSIBLES DU TYPE ET
DE L'AMPÉRAGE INDICÉ
NOT FOR HOUSEHOLD USE
IMPROPRE À L'USAGE DOMESTIQUE
DRY LOCATIONS
EMPLACEMENTS SECS
DISCONNECT POWER BEFORE SERVICING
DÉBRANCHER AVANT TOUT ENTRETIEN
FOR INDOOR USE ONLY
USAGE INTÉRIEUR UNIQUEMENT

USA/CANADA
Power: AC 120 V, 60 Hz
0.3 A, 33 W



CHAUVET

CHAUVET

CHAUVET WORLDWIDE HEADQUARTERS
SUNRISE, FLORIDA USA



MODEL: BOBLED
ITEM CODE: 02050057
FUSE: T 1 A, 250 V
POWER LINKING: N/A
ORIGIN: MADE IN P.R.C.

USA/CANADA
Power: AC 120 V, 60 Hz
0.3 A, 33 W

THIS APPLIANCE MUST BE GROUNDED
CETTE UNITÉ DOIT ÊTRE RELIÉE À LA TERRE
USE ONLY FUSE OF SAME TYPE & RATING
N'UTILISER QUE DES FUSIBLES DU TYPE ET
DE L'AMPÉRAGE INDIQUE
NOT FOR HOUSEHOLD USE
IMPROPRE À L'USAGE DOMESTIQUE
DRY LOCATIONS
EMPLACEMENTS SECS
DISCONNECT POWER BEFORE SERVICING
DEBRANCHER AVANT TOUT ENTRETIEN
FOR INDOOR USE ONLY
USAGE INTERIEUR UNIQUEMENT



CHAUVET
Value-Innovation-Performance®









Laser Stage Lighting

| | | |
|--|--|--|
| | | |
| | | |
| | | |



LSS-020



Visible or invisible radiation avoid eye or skin.
Exposure to direct or scattered radiation.





RUNDA

DC 12V 0.1A

ELECTRONIC COMPANY

201

BLACK-

VIZIO® 39 Tesla Irvine, CA 92618
WWW.VIZIO.COM

Television / Televisor

Model / Modelo No.: **D40I-G9**

Input / Entrada:
120V ~, 50/60Hz, 1.8A

Part No. / No de parte:
10231006233

Serial No. / No de serie:
LINIXTLW4302292



Audio/Video
Apparatus
E240708



**Energy
Verified**




PRECAUCIÓN RIESGO DE DESCARGA ELÉCTRICA NO ABRIR

Manufactured under license from Dolby Laboratories. Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories Licensing Corporation.

The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

For DTS patents, see <http://patents.dts.com>

 **Dolby Audio**

 **HDMI®**
HIGH DEFINITION MULTIMEDIA INTERFACE

 **dts®**
Studio Sound

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

This device contains transmitter module: SK0.W7601.3

FCC ID: 2AR82-SKOW7601301 / IC: 24728-SKOW7601301

FACTORY ID: CAPG

MADE IN CHINA / HECHO EN CHINA





VIZIO 39 Tesla Irvine, CA 92618
WWW.VIZIO.COM
Television / Televisor

Model / Modelo No.: **D401 - G9**

Input / Entrada: **120V ~, 50/60Hz, 1.8A**

Part No. / No de parte: **10231006233**

Serial No. / No de serie: **LINIXTLW4304417**



Audio/Video
Apparatus
E240708



Energy
Verified



PRECAUCIÓN RIESGO DE DESCARGA ELÉCTRICA NO ABRIR

Manufactured under license from Dolby Laboratories. Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories Licensing Corporation.

The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

For DTS patents, see <http://patents.dts.com>

Dolby Audio

HDMI
HIGH-DEFINITION MULTIMEDIA INTERFACE

dts
Studio Sound

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

This device contains transmitter module: SKO.W7601.3

FCC ID: 2AR82-SKOW7601301 / IC: 24728-SKOW7601301

FACTORY ID: CAPG

MADE IN CHINA / HECHO EN CHINA

CHAUVET

CHAUVET WORLDWIDE HEADQUARTERS
SUNRISE, FLORIDA USA



| | |
|----------------|----------------|
| MODEL: | BOBLED |
| ITEM CODE: | 02050057 |
| FUSE: | T 1 A, 250 V |
| POWER LINKING: | N/A |
| ORIGIN: | MADE IN P.R.C. |

USA/CANADA
Power: AC 120 V, 60 Hz
0.3 A, 33 W

THIS APPLIANCE MUST BE GROUNDED
CETTE UNITÉ DOIT ÊTRE RELIÉE À LA TERRE
USE ONLY FUSE OF SAME TYPE & RATING
N'UTILISER QUE DES FUSIBLES DU TYPE ET
DE L'AMPÉRAGE INDIQUÉ
NOT FOR HOUSEHOLD USE
IMPROPRE À L'USAGE DOMESTIQUE
DRY LOCATIONS
EMPLACEMENTS SECS
DISCONNECT POWER BEFORE SERVICING
DÉBRANCHER AVANT TOUT ENTRETIEN
FOR INDOOR USE ONLY
USAGE INTÉRIEUR UNIQUEMENT



CHAUVET







WNS9120

DIGITAL PIANO

RATED VOLTAGE : DC12V
AC POWER ADAPTOR : YAMAHA PA-5D , PA-150(U. S. A. CANADA only)
YAMAHA CORPORATION
MADE IN INDONESIA



N89



THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.
OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:
(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED,
INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

THIS CLASS B DIGITAL APPARATUS COMPLIES WITH CANADIAN ICES-003.
CET APPAREIL NUMÉRIQUE DE LA CLASSE B
EST CONFORME A LA NORME NMB-003 DU CANADA.

PATENTS : U. S. 5834668 U. S. 5498835 U. S. 5662797 U. S. 6189085 U. S. RE38003
U. S. 7256340

YDP-140 U

SER. No. 086792880143

UCOX01550

KAWAI ELECTRONIC ORGAN

MODEL

EX-3052

SER. NO.

1-5124

326T

AC117V 50/60Hz

45

W

220



Listed

KAWAI MUSICAL INST. MFG. CO., LTD.
HAMAMATSU JAPAN








ALLEN & HEATH MixWizard WZ 16:2

Hi
HiMid
Low Mid
Bass
FH
XL
REAR
FRONT

MON
VOL

M1 | M2 | M3 | Key | Gu... | Hall | FX | Tape | Comp | Mackie | DJ |



ALLEN&HEATH MixWizard WZ 16:2

Hi
Hi-Mid
Low-Mid
Bass
FH
XL
L
Rear
Front

MON
VOL

M1 | M2 | M3 | Key | Bus | HiLL | FX | Tap | Comp | Mackie | DJ



ALLEN&HEATH

MixWizard WZ³ 16:2

16 channel mixer interface with 16 INSERTS (1-16), 16 LINE INs (1-16), 16 MICs (1-16), 16 DIRECT OUTs (1-16), 16 AUXs (1-16), and 16 STs (1-16). Includes FX, EXTERNAL DC IN, and AC IN sections.

CAUTION
RISK OF ELECTRIC SHOCK
DO NOT TOUCH
AVOID CONTACT WITH EXPOSED SURFACES

WARNING
FOR CONTINUED PROTECTION AGAINST FIRE OR ONLY REPLACE FUSES WITH SAME TYPE AND RATING.
REPLACE FUSES ONLY BY THE MANUFACTURER'S RECOMMENDATION.
TO REDUCE THE RISK OF ELECTRIC SHOCK DO NOT REMOVE YOUR HANDS FROM INSERTIONS.
REFER TO SERVICE MANUAL FOR ADDITIONAL PRECAUTIONS.

AC IN
100-240V ~ 50/60Hz 1000mA

OFF ON





CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN

AVIS: RISQUE DE CHOC ELECTRIQUE - NE PAS OUVRIE.

CAUTION: FOR CONTINUED PROTECTION AGAINST RISK OF FIRE REPLACE FUSE WITH SAME TYPE AND RATING.
ATTENTION: REMPLACER PAR UN FUSIBLE STRICTEMENT IDENTIQUE EN VALEURS.
WARNING: TO REDUCE THE RISK OF ELECTRIC SHOCK DO NOT EXPOSE THIS APPARATUS TO RAIN OR MOISTURE.
REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.

ENGINEERED IN ENGLAND BY ALLEN & HEATH LIMITED MADE IN CHINA Serial No. W316221X311698



3047465
CONFORMS TO ANSI/UL STD. 60065
CERTIFIED TO CAN/CSA C22.2 No. 60065-03

FUSE
T630mA L 250V 20mm



AC MAINS IN ~
100 - 240V ~ 47-63Hz 45W MAX



WARNING: THIS APPARATUS MUST BE





Model: PC-9400
Name: 8 Channel Switch Control with timer
Volt: AC 110V, 60Hz
Fuse: 125V/2A
Serial No: 20 300122
MADE IN CHINA



PC-9400
ALLIANT
20 180122


PC-9400
8 CHANNEL
SWITCH CONTROL
WITH TIMER

ON

OFF

TIMER SPEED

MIN MAX

CHASE
OFF ON
CH1

CHASE
OFF ON
CH2

CHASE
OFF ON
CH3

CHASE
OFF ON
CH4

TIMER SPEED

MIN MAX

CHASE
OFF ON
CH5

CHASE
OFF ON
CH6

CHASE
OFF ON
CH7

CHASE
OFF ON
CH8

CLASS 1
LASER PRODUCT
LASER KLASSE 1

MODEL NO. : CD MIX-3
CD MIXING CONSOLE
POWER SOURCE : DC12V 3A
NUMARK INDUSTRIES, LLC
200 SCENIC VIEW DRIVE CUMBERLAND,
RI 02864 U.S.A.



MADE IN CHINA



(21) NJ0812811514222




OFF
LOW
HIGH

GlenDimplex
AMERICAS

Model: CGWH4031G
Volts: 240 60Hz
Amps: 16.7
Watts: 4000

Date Code: A/29/19

UL US
LISTED
AIR HEATER
4-13
712280100R00



MODEL : 7-380
SERIAL NO:
POWER : 120V/60Hz
FUSE : T04 CE
LAMP : 28W 300 X3
MADE IN TAIWAN



 **V-2009 DICE'N SLICE**

VEI
MODEL: v-2009 AMPS
FUSE: 15
POWER SUPPLY: 120V/60Hz
LAMP: 750W
(1)XOP MADE IN TAIWAN





POWER

AF — — — — —)
RF — — — — —)

ENCORE I
VHF Wireless Receiver






NADY SYSTEMS, INC.
Emeryville, California USA
Made in China



Channel
B



UNBALANCED OUT



DC



VOLUME



BALANCED OUT



MUTE

1702111164



DC INPUT
14-18V
550 mA

OUTPUTS

ANTENNA B IN
12V 75mA
CLASS II

ANTENNA A IN
12V 75mA OUT
CLASS II

MIC LINE

AUX

HIGH Z

BALANCED LOW Z

RE INCORPORATED
ULXP4 RECEIVER
CANADA: 616231243A
TESTED TO COMPLY
WITH FCC STANDARDS
FOR HOME OR OFFICE USE
PAT. 5794125
PAT. 6296966
PAT. 6897301
PAT. 6871054

CE N108 2540



POWER

AF — — — — — ● — — — — — ●
RF — — — — — ● — — — — — ●

ENCORE I
VHF Wireless Receiver





DC INPUT
14-18V
550 mA

OUTPUTS

BALANCED LOW Z

MIC LINE

AUX

HIGH Z

SHURE INCORPORATED
ULXP4 RECEIVER
CANADA: 616231243A
FC TESTED TO COMPLY
WITH FCC STANDARDS
FOR HOME OR OFFICE USE

ANTENNA A IN
12V --- 75mA OUT
CLASS II

CE N108 2540 PAT. 5784125 PAT. 6296883 PAT. 6997301 PAT. 6871054







Q C .PASS

OPERATOR: _____
QC: _____
DATE: _____

Model: V-8000S
Name: POWER PANEL
Volt: AC 110V~, 60Hz
Serial No: 201 00456
MADE IN CHINA



QC.PASS

OPERATOR: _____

QC: _____

DATE: _____

Model: V-8000S

Name: POWER PANEL

Volt: AC 110V~, 60Hz

Serial No: 20100749

MADE IN CHINA







CAUTION: High temperature. Avoid touching grille, changing unit while
in operation or at least 5 (15) min. after the unit has cooled. Avoid areas from
the unit heat.

MISE EN GARDE: Température élevée. Évitez de toucher la grille, de
changer l'unité pendant qu'elle est en fonctionnement ou au moins 5 (15) min.
après l'arrêt de l'unité. Évitez les zones où la chaleur de l'unité est présente.

ADVERTENCIA: Temperatura elevada. Evite tocar la rejilla durante
el funcionamiento o al menos 5 (15) minutos después de apagar
la unidad.









ITEM No: 90917135
RATED: 120V, 60Hz
POWER CONSUMPTION: 35W
Manufacturer Date: Apr '14
CONFORMS TO UL STD. 062
CERTIFIED TO CSA STD. C22.2 No. 12



Model: 352
Name: Double Derby
Volt: AC 110-120V 60Hz
LAMP: 64514 T20V/30Wx2
Serial No: 9200130
MADE IN CHINA

QC PASS
OPERATOR: _____
QC: _____
DATE: _____







POWER

ON
OFF

FUSE
125V/10A

POWER
INPUT

CONTROL
INPUT
FOR THE REMOTE
CONTROL ONLY

Model: Z-1000
Name: Pro Z Super Fogger
Volt: AC 110 - 120V 60Hz
Heater Power: 1000W
Serial No: 20100045
MADE IN CHINA

WARNING !
adult use only .never leave fogger
unattended
▶ Use fogger's fog liquid only.
▶ Do not spray toward anyone's face.
▶ No user service parts inside.
▶ refer to qualified service personnel.

QC PASS
OPERATOR: _____
QC: _____
DATE: _____





INPUTS

CH 1

CH 2

INPUT IMPEDANCE
40K BALANCED
20K UNBALANCED

CROSSOVER
CH1 CH2
100 Hz
FULL RANGE

INPUT CONNECTOR PINS

| | POS | NEG | SH |
|-------|-----|------|--------|
| XLR | 1 | 2 | 3 |
| 1/4" | TIP | RING | SLEEVE |
| PHONE | TIP | CASE | BARREL |

THIS PRODUCT SHOULD BE SUPPORTED ON ALL FOUR CORNERS WHEN INSTALLED IN A RACK

OUTPUT CONNECTOR PINS

| | POS | NEG |
|------------|-----|--------|
| SPEAKER 1 | 1 | 2 |
| 1/4" PHONE | TIP | SLEEVE |

OUTPUTS TO SPEAKERS

CH 1

CH 2

LOCK

CROSSOVER-LF

CROSSOVER-HF

QSC

WARNING:
USE PROPER
SPEAKER WIRE
14 AWG 2 WIRE
OR GREYER.

SEEKENT:
Look on the
Speaker's case
label.

LISTED COMMERCIAL AUDIO SYSTEM

TO REDUCE THE RISK OF ELECTRIC SHOCK, THE GROUND CONNECTION OF THE AC PLUG MUST BE MAINTAINED





NO 232639205

DATE CODE

FUSES: REPLACE FUSE WITH SAME TYPE FUSE AND RATING.
ATTENTION: UTILISER UN FUSIBLE DE PERFORMANCE
DE MEME TYPE QUE LE VOTRE.

ALL INPUTS & OUTPUTS
FULLY BALANCED
+ TR/PIN2
- RM/PIN3
SLEW/PIN1

OUTPUTS 2

INPITS 2

SUB OUT

X-OVER FREQ.

ALL INPUTS & OUTPUTS
FULLY BALANCED
+ TR/PIN2
- RM/PIN3
SLEW/PIN1

OUTPUTS 1

INPITS 1

BEHRINGER® ULTRAGRAPH PRO
MODEL FBQ1502



CONCEIVED AND DESIGNED
BY BEHRINGER GERMANY.
ASSEMBLED IN CHINA
UNDER ISO9000 CERTIFIED
MANAGEMENT SYSTEM



www.behringer.com

PROVIDEO

VID-D

VIDEO DISTRIBUTOR

POWER








DD-5M FE SER. NO. 7015528

POSITION

ATM



SONY MODEL NO. 55M-930
BLACK AND WHITE MONITOR
AC120V 60Hz 27W
SER. NO. 1066785

CERTIFICATION
PRODUCT COMPLIES WITH DHS/RULES
2(CFR, SUB-CHAPTER 2, APPLICABLE
AT DATE OF MANUFACTURE.
SONY CORPORATION
7-35 KITAISHINJAWA 5-CHOME
SHINAGAWA-KU TOKYO, 161 JAPAN
TEL: 81-3-3496-0000
SHINJONG-DONG KYONGGI DO 461-400
SOUTH KOREA



MANUFACTURED: JANUARY 2002
CHASSIS FAMILY NO. 505A-030
THIS DEVICE COMPLIES WITH PART 15 OF THE FCC
RULES. OPERATION IS SUBJECT TO THE FOLLOWING
TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE
HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST
ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING
INTERFERENCE THAT MAY CAUSE UNDESIRABLE
OPERATION. MADE IN KOREA

CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN

AVIS: RISQUE DE CHOC ELECTRIQUE.
NE PAS OUVRIR

ING CLAMP

V.131 TR30H





CE



100-240V ~
50/60Hz 30W

CAUTION TO REDUCE THE
RISK OF FIRE REPLACE ONLY
WITH THE SAME TYPE
T1A, L-250V FUSE



AVIS: UTILISER UN FUSIBLE
DE RECHANGE DE MEME TYPE



MANU

CONTROLLER INTERFACES

RS232



MIDI OUT



MIDI THRU

(UL) SJT E159216 VW-1 3X18AWG BAO

2008





CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN



AVIS
RISQUE DE CHOC ÉLECTRIQUE
NE PAS OUVRIR

SONY®

VIDEO CASSETTE RECORDER

MODEL NO.: SLV-N55

AC 120V 60Hz 18 W

FACTORY ID: "C"



FCC ID: A3LSCORHIFI
MADE IN CHINA

2B-0321334

US PATENT
4,415,844
4,685,008
RE 34,800
FI 5,034,830
5,061,808





LITHIUM ION U.S. PATENT NO. 5,883,296

SONY
CORPORATION

PATTERN

SOUND SENSITIVITY

Manual Open/Close

12.0V
1.0Ah



SONY MODEL NO. RCD-W500C
COMPACT DISC RECORDER
AC 120V 60Hz 25W
SERIAL NO. 8877872
MADE IN MALAYSIA



CERTIFICATION
THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES...
MAY 2004
3-704-017-02

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:
(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN
ATTENTION
RISQUE DE CHOC ELECTRIQUE NE PAS OUVRIR

4-246-074-01 (U)



STYLE LIST

| | | | |
|--------|----------|-------|-------------|
| 00:00 | DANCE | 24:24 | W. WALTZ |
| 00:03 | HOUSE | 24:33 | ROCK BEATLE |
| 10:12 | POP JAZZ | 24:34 | ROCK |
| 11:16 | POP | 24:35 | ROCK |
| 12:22 | POP | 24:36 | ROCK |
| 13:28 | POP | 24:37 | ROCK |
| 14:34 | POP | 24:38 | ROCK |
| 15:40 | POP | 24:39 | ROCK |
| 16:46 | POP | 24:40 | ROCK |
| 17:52 | POP | 24:41 | ROCK |
| 18:58 | POP | 24:42 | ROCK |
| 20:04 | POP | 24:43 | ROCK |
| 21:10 | POP | 24:44 | ROCK |
| 22:16 | POP | 24:45 | ROCK |
| 23:22 | POP | 24:46 | ROCK |
| 24:28 | POP | 24:47 | ROCK |
| 25:34 | POP | 24:48 | ROCK |
| 26:40 | POP | 24:49 | ROCK |
| 27:46 | POP | 24:50 | ROCK |
| 28:52 | POP | 24:51 | ROCK |
| 29:58 | POP | 24:52 | ROCK |
| 31:04 | POP | 24:53 | ROCK |
| 32:10 | POP | 24:54 | ROCK |
| 33:16 | POP | 24:55 | ROCK |
| 34:22 | POP | 24:56 | ROCK |
| 35:28 | POP | 24:57 | ROCK |
| 36:34 | POP | 24:58 | ROCK |
| 37:40 | POP | 24:59 | ROCK |
| 38:46 | POP | 25:00 | ROCK |
| 39:52 | POP | 25:01 | ROCK |
| 40:58 | POP | 25:02 | ROCK |
| 42:04 | POP | 25:03 | ROCK |
| 43:10 | POP | 25:04 | ROCK |
| 44:16 | POP | 25:05 | ROCK |
| 45:22 | POP | 25:06 | ROCK |
| 46:28 | POP | 25:07 | ROCK |
| 47:34 | POP | 25:08 | ROCK |
| 48:40 | POP | 25:09 | ROCK |
| 49:46 | POP | 25:10 | ROCK |
| 50:52 | POP | 25:11 | ROCK |
| 51:58 | POP | 25:12 | ROCK |
| 53:04 | POP | 25:13 | ROCK |
| 54:10 | POP | 25:14 | ROCK |
| 55:16 | POP | 25:15 | ROCK |
| 56:22 | POP | 25:16 | ROCK |
| 57:28 | POP | 25:17 | ROCK |
| 58:34 | POP | 25:18 | ROCK |
| 59:40 | POP | 25:19 | ROCK |
| 60:46 | POP | 25:20 | ROCK |
| 61:52 | POP | 25:21 | ROCK |
| 62:58 | POP | 25:22 | ROCK |
| 64:04 | POP | 25:23 | ROCK |
| 65:10 | POP | 25:24 | ROCK |
| 66:16 | POP | 25:25 | ROCK |
| 67:22 | POP | 25:26 | ROCK |
| 68:28 | POP | 25:27 | ROCK |
| 69:34 | POP | 25:28 | ROCK |
| 70:40 | POP | 25:29 | ROCK |
| 71:46 | POP | 25:30 | ROCK |
| 72:52 | POP | 25:31 | ROCK |
| 73:58 | POP | 25:32 | ROCK |
| 75:04 | POP | 25:33 | ROCK |
| 76:10 | POP | 25:34 | ROCK |
| 77:16 | POP | 25:35 | ROCK |
| 78:22 | POP | 25:36 | ROCK |
| 79:28 | POP | 25:37 | ROCK |
| 80:34 | POP | 25:38 | ROCK |
| 81:40 | POP | 25:39 | ROCK |
| 82:46 | POP | 25:40 | ROCK |
| 83:52 | POP | 25:41 | ROCK |
| 84:58 | POP | 25:42 | ROCK |
| 86:04 | POP | 25:43 | ROCK |
| 87:10 | POP | 25:44 | ROCK |
| 88:16 | POP | 25:45 | ROCK |
| 89:22 | POP | 25:46 | ROCK |
| 90:28 | POP | 25:47 | ROCK |
| 91:34 | POP | 25:48 | ROCK |
| 92:40 | POP | 25:49 | ROCK |
| 93:46 | POP | 25:50 | ROCK |
| 94:52 | POP | 25:51 | ROCK |
| 95:58 | POP | 25:52 | ROCK |
| 97:04 | POP | 25:53 | ROCK |
| 98:10 | POP | 25:54 | ROCK |
| 99:16 | POP | 25:55 | ROCK |
| 100:22 | POP | 25:56 | ROCK |
| 101:28 | POP | 25:57 | ROCK |
| 102:34 | POP | 25:58 | ROCK |
| 103:40 | POP | 25:59 | ROCK |
| 104:46 | POP | 26:00 | ROCK |

~ 100-120V 500mA/250V 5.0-8.0 A.C.
~ 220-240V 350mA/250V 5.0-8.0 A.C.

POWER OFF PHANTOM ON

MACKIE
1202-VLZ3
PREMIUM MIC / LINE MIXER

CAUTION TO REDUCE THE RISK OF FIRE, REPLACE WITH CORRECT TYPE FUSE. RECHECK POWER CORD BEFORE CHANGING VOLTAGE.

100M Ω 120M Ω 250M Ω

CAUTION TO REDUCE THE RISK OF FIRE, DO NOT PLACE THIS EQUIPMENT TO NEAR OR ABOVE THE HEAT SOURCE SUCH AS RADIATOR, HEAT EXCHANGER, STOVE, OR SIMILAR EQUIPMENT. ALWAYS UNPLUG THIS EQUIPMENT FROM THE MAIN POWER SUPPLY BEFORE CHANGING FUSES.

WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRICAL SHOCK, ALWAYS LEAVE THIS EQUIPMENT TO NEAR OR ABOVE THE HEAT SOURCE SUCH AS RADIATOR, HEAT EXCHANGER, STOVE, OR SIMILAR EQUIPMENT. ALWAYS UNPLUG THIS EQUIPMENT FROM THE MAIN POWER SUPPLY BEFORE CHANGING FUSES.

ATTENTION: ATTENZIONE: PER RIDURRE IL RISCHIO DI INCENDIO O SCARICHE ELETTRICHE, SEMPRE SCONNETTARE QUESTO APPARECCHIO DALLA SORTELLA DI ENERGIA PRIMA DI CAMBIARE LE FUSOLE.

32 M Ω EXTENDED DYNAMIC RANGE MIC PREAMPLIFIERS ARE PROPRIETARY TO LOUD TECHNOLOGIES, INC.

SERIAL NUMBER: 0M8706
MANUFACTURING DATE: 12/15/17

MAIN RIGHT BALANCED MAIN LEFT BALANCED CONTROL ROOM BALANCED ALT OUTPUT BALANCED CHANNEL INSERT (PRE-FADER/PRE EQ 1P 3RD/2ND RETURN)

MAIN OUTPUT LEVEL

REGISTERED BY MACKIE/LOU IN WOODBRIDGE, VA, USA • MANUFACTURED IN CHINA
FABRIQUE EN CHINE • COPYRIGHT © 2017 • TRADEMARKS AND THE ALPHABET MARK
FIGURE ARE TRADEMARKS OF LOUD TECHNOLOGIES, INC. • PATENT PENDING

1202-VLZ3 (L) SUT E18316 VMA



230V-50HZ
115V-60HZ

A INPUT

MAD. TAIWAN

FUSE F0.5A

QC 035240
QA

L R

L R

L R

CD

CE

CAUTION: TO PREVENT ELECTRIC SHOCK,
DO NOT REMOVE COVER SCREWS. NO USER-
SERVICEABLE PARTS INSIDE. REFER SERVICE
TO QUALIFIED SERVICE PERSONNEL.

GND



CAUTION: OPENING THE CASE MAY EXPOSE YOU TO SHARP POINTS AND MOVING PARTS. ALWAYS UNPLUG THE UNIT FROM THE WALL BEFORE ATTEMPTING TO OPEN THE CASE OR MAKE ANY ADJUSTMENTS. THE UNIT IS NOT TO BE OPENED BY THE USER. SERVICE SHOULD BE PERFORMED BY A QUALIFIED SERVICE PERSONNEL. FOR SERVICE INFORMATION, CONTACT THE SERVICE CENTER. © 2007 LEXICON, INC. MADE IN CHINA

Lexicon

Made in China
FUSE REPLACEMENT RATINGS
100V-120V 50/60Hz | T 200mA L, 250V
220V-240V 50/60Hz | T 100mA L, 250V
100V - 120V - 50/60Hz
18W

USB

FOOTSWITCH

MIDI
IN THRU

S/PDIF

ANALOG OUT





US AND FOREIGN PATENTS LICENSED
FROM DOLBY LABORATORIES
LICENSING CORPORATION

CAUTION
RISQUE DE CHOC ELECTRIQUE
NE PAS OUVRIR

ANALOG INPUT
ANALOG OUTPUT
(UNBALANCED)

DIGITAL INPUT 1
DIGITAL OUTPUT
OPTICAL







ANALOG INPUT
(BALANCED)


ANALOG OUTPUT
(BALANCED)




VOLTAGE SELECTOR
120V 230V

TASCAM MODEL No. MD-350
TEAC CORPORATION 120/230V AC 50-60Hz 15W
CSA CERTIFIED FOR 120V ONLY
SERIAL No. 0630621
MADE IN CHINA

Operation **ON** 

| Switches (1-4) | Function | |
|---|------------|---------|
|  | Motor | Music |
|  | | Auto |
|  | Laser Beam | Full on |
|  | | Chase |
|  | Music | Audio |
|  | | Chase |
|  | Chase | Auto |
|  | | Manual |

| Switches on (5-7) | Function |
|---|-----------|
|  | Pattern-1 |
|  | Pattern-2 |
|  | Pattern-3 |
|  | Pattern-4 |
|  | Pattern-5 |
|  | Pattern-6 |
|  | Pattern-7 |
|  | Pattern-8 |

| Switches on (8-10) | Function | | |
|---|----------|------|------|
|  | Speed-1 | Slow | |
|  | Speed-2 | ↓ | |
|  | Speed-3 | | |
|  | Speed-4 | | |
|  | Speed-5 | | |
|  | Speed-6 | | |
|  | Speed-7 | | |
|  | Speed-8 | | Fast |

Audio Sensitivity



Mode Select



MODE

- 1. Motor:Music/Auto Switch 1
- 2. Laser Beam: ...Full on/Chase Switch 2
- 3. Music:Audio/Chase Switch 3
- 4. Chase:Auto/Manual Switch 4
- 5. Pattern:Pattern1-8 Switch 5-7
- 6. Speed:Speed1-8 Switch 8-10



08A00

RadioShack®

LIGHTNING STORM
CAT. NO. 42-3071
POWER REQUIREMENT:
AC 120V 60Hz 0.38A



LISTED
55K
LIGHTS
E2000T1

CUSTOM MANUFACTURED IN KOREA
FOR RADIOSHACK, A DIVISION OF
TANDY CORPORATION, FORT WORTH,
TEXAS 76102.



WARNING:
FOR INDOOR USE ONLY.
DO NOT EXPOSE TO
RAIN OR MOISTURE
TO PREVENT THE RISK OF FIRE,
DO NOT USE FITTING ON
DIMMING CIRCUITS.
FCC ID A404203071

CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN







LOUDSPEAKER
MANAGEMENT
SYSTEM

ENTER
STORE
REC-LL

MINIDRIVE™

NTM

LIMITS A B SDM
INPUT SELECT

INPUT LEVEL

CLIP
+1.0
+0.0
-1.0
-2.0
-3.0

OVER
LIMIT
-3dB
-6dB
-9dB
-12dB
-15dB
-18dB
-21dB
-24dB

OVER
LIMIT
-3dB
-6dB
-9dB
-12dB
-15dB
-18dB
-21dB
-24dB

OVER
LIMIT
-3dB
-6dB
-9dB
-12dB
-15dB
-18dB
-21dB
-24dB

OVER
LIMIT
-3dB
-6dB
-9dB
-12dB
-15dB
-18dB
-21dB
-24dB

1 MUTE

2 MUTE

3 MUTE

4 MUTE

FDS-334T



HON-KWANG
PLUG IN CLASS 2 TRANSFORMER
UL LISTED 59N0 E97199
SA LR 58048
MODEL NO: 411-CDMIX1-169
(D12-25A)
INPUT: 120V 60Hz 46W
OUTPUT: 12VDC 2500mA
MADE IN TAIWAN













VEI
MODEL V-010S
AMPS
FUSE
POWER SUPPLY 120V/50HZ
LAMP 12V 20W
121MR11
MADE IN
TAIWAN



TASCAM
MD-350

INPUT
1 2 3 4 5 6 7 8 9 10 11 12

CD
MCLP

EJECT
REPEAT
SEARCH
STOP
PLAY
READY
TRACK
FWD
REV
DIGITAL ON 1
DIGITAL ON 2
KEYBOARD

00000000



ANALOG INPUT

L

(BALANCED)

R ANALOG OUTPUT L

(BALANCED)

- 1: GND
- 2: HOT
- 3: COLD

VOLTAGE SELECTOR

120V 230V

TASCAM MODEL No. MD-350
TEAC CORPORATION 120/230V 50-60Hz 13W
CSA CERTIFIED FOR 120V ONLY
SERIAL NO. 0880646  MADE IN CHINA











QC-PASS

OPERATOR: _____

QC: _____

DATE: _____

Model: V-8000S

Name: POWER PANEL

Volt: AC 110V~, 60Hz

Serial No: 20100769

MADE IN CHINA



OCTO BEAM



American Df.
AVOID EXPOSURE
Laser Light is emitted
from this aperture





American DJ
PROFESSIONALS
MODEL:PC-100A

1

2

3

4

5

6

7

08A00

RadioShack®

LIGHTNING STORM
CAT. NO: 42-3071

POWER REQUIREMENT:
AC 120V 60HZ 0.38A

CUSTOM MANUFACTURED IN KOREA
FOR RADIOSHACK, A DIVISION OF
TANDY CORPORATION, FORT WORTH,
TEXAS 76102.



WARNING:
FOR INDOOR USE ONLY
DO NOT EXPOSE TO
RAIN OR MOISTURE
TO PREVENT THE RISK OF FIRE,
DO NOT USE FITTING ON
DIMMING CIRCUITS.


CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN



FCC ID AAO 4203071







LINE OUT

R-AUDIO-L VIDEO

COMPONENT VIDEO OUT

S VIDEO OUT

Y PB PR

CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN
ATTENTION
RISQUE DE CHOC ELECTRIQUE NE PAS OUVRI

CERTIFICATION
PRODUCT COMPLIES WITH 21 CFR 1040.10 AND 1040.11 EXCEPT FOR DEVIATIONS PURSUANT TO LASER NOTICE NO 50, DATED JULY 26 2001.
SONY CORPORATION
7-35, KITASHINAGAWA 6-CHOME, SHINAGAWA-KU TOKYO 141-0001, JAPAN
YHI SHIJIEZHEN DONGGUAN

SONY MODEL NO. **DVP-NS315**
CD/DVD PLAYER LISTED 8004
AC 120V 60Hz 12W 2B
THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MUST NOT CAUSE HARMFUL INTERFERENCE AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.
SONY CORPORATION MADE IN CHINA 3-073-411-01


"DTS" and "DTS Digital Out" are trademarks of Digital Theater Systems, Inc.
Apparatus Claims of U.S. Patents Nos. 4,631,603, 4,577,481, 4,819,098, and 4,907,093 licensed for limited viewing uses.
Manufactured under license from Dolby Laboratories.
"Dolby" and the double-D symbol are trademarks of Dolby Laboratories.



Information on the back of the device, including a barcode and technical specifications. The text is partially obscured and difficult to read, but appears to include:

| | |
|--------------------------|-----|
| Model No. | ... |
| Serial No. | ... |
| Barcode | ... |
| Technical Specifications | ... |





QC PASS
OPERATOR: _____
QC: 1008
DATE: _____

110V
110V
230V

Model: T-9521
Name: Easy Gobo
Volt: AC 110V→230V 60-50Hz
LAMP: ELC 24V/250W
FUSE: 125V/5A; 250V/3.15A
Serial No: 20300017
MADE IN CHINA





American 29
Model: PC-100A
Lamp: 115V/AC 60Hz
Voltage: 115V/AC 60Hz
Fuse: 20AMP GMA 125V
Power Draw:
Made in China
S/N: 2854488
Los Angeles, CA 90008, USA
WWW: 8744d1.com

WARNING: TO PREVENT FIRE OR SHOCKING, DO NOT REMOVE THIS APPLIANCE TO CLEAN OR MOISTURE.

AC-120V/60Hz
Max: 15AMP

CE







American DJ Los Angeles, CA 90018 USA
Model: Laser Wizard
Lamp: 1.5W V72W
Voltage: DC 2V
Fuse: 5A
Made in: China
SN: 5488145

Unit must be grounded.
Replace with same fuse & lamp rating shown.
Unplug unit from wall before servicing.

American DJ
Laser Wizard™

This Laser product complies with the
C.D.R.A. (F.R.I.) guidelines for maximum
allowable laser exposure (MPE).

07695-H-SPLASH







V E I
MODEL V-8210-4
POWER SUPPLY 120V/60HZ
CAMP 12 V 50 A
EXX EXX

GORO SCANNER
V-8210-4



NEVER ADD
FLAMMABLE SUBSTANCES
USE DEALER RECOMMENDED
FOG FLUID

EMPLOYEZ DES LIQUIDES A
FUMEE RECOMMANDES PAR
VOTRE REVENDEUR NE JAMAIS
ENTREMELER DES LIQUIDES
ENFLAMMABLES

BITTE NUR DIE VOM
HERSTELLER EMPFOHLENEN
FLUIDS ENFÜLLEN MISCHEIN SIE
NIEMALS ENTZÜNDBARE BEFÜHRMISSTEN
ZUSATZSTOFFE

ON
OFF

LOW FLUID
INDICATOR

REMOTE CONTROL

POWER INPUT

FUSE

ITS
Testing &
Certification

GS



ETL US
171115
9788333

CONFORMS TO
UL STD. 998
CERTIFIED TO
CSA STD. C22
No. 104

CE

WARNING!
DISCONNECT POWER BEFORE CHANGING FUSE
NO USER SERVICEABLE PARTS INSIDE
USE ONLY WITH ADULT SUPERVISION
DO NOT OPERATE WITHOUT LIQUID
FOR INSIDE USE ONLY - KEEP DRY

ATTENTION!
DÉBRANCHER L'APPAREIL AVANT D'ENTREPRENDRE LE DÉPANNAGE
NE JAMAIS UTILISER L'APPAREIL SANS LIQUIDE
NE PAS LAISSER ENTRE LES MAINS D'ENFANTS
PROTÉGER DE L'HUMIDITÉ

ACHTUNG!
BEDIENUNG IST NUR ERWACHSENEN PERSONEN GESTATET
VOR ÖFFNEN DES GERÄTES NETZSTECKER ZIEHEN
NUR GEEIGNETE FLUIDS ENFÜLLEN
VOR FEUCHTIGKEIT SCHÜTZEN
NIE OHNE FLUID BETRIEBEN

CAUTION:
TO REDUCE THE
RISK OF FIRE
REPLACE ONLY
WITH SAME SIZE
AND TYPE OF FUSE
E100A/C22A
E13, DANGER 30VDC

AMERICAN DJ MADE IN TAIWAN
MODEL: VOLCANO
S/N: 400032
POWER: 100VAC 50HZ
FUSE: 7A

Martin

Acrobat US
Serial no. (21) 4197150005
SW: 1.4
P/N: 90422100 Rev: (-C)
Lamp/Lampe: ELC 24V/250W
Voltage: 110/120V, 50-60Hz
Setting 120V
Amp 2.2A
Watt 250W
Fuse/Fusible T5A/250V
Martin Professional AS
Made in Denmark by
S 706681 180361



Always disconnect from main power
before replacing the lamp.
The lamp contains a hot surface.
Do not touch the lamp or the lamp holder.
Do not look directly into the light.
Risk of fire and electrical shock.
Not for household use.
Use only in dry locations.
See serial no. table for replacement fuse size.
See serial no. table for lamp type and size.

ATTENTION
Tous les composants sont protégés par des fusibles.
L'absence de fusibles peut entraîner un incendie ou des dommages matériels.
Distance minimale à des points chauds: 150 mm.
Température de la surface extérieure: 50 °C.
Attention: Lampe chaude. Laissez refroidir dans les conditions normales d'utilisation avant de la manipuler.
Ne pas regarder directement dans la lumière.
Température ambiante maximale d'utilisation: 40 °C.
Pour une utilisation optimale, consultez le guide de l'utilisateur.
La lampe 2 minutes avant d'allumer.
Ne pas utiliser pour usage domestique.
Emploi: Exposition prolongée à la lampe sans protection peut causer des brûlures aux yeux et la peau.
Veuillez le numéro de série pour le remplacement du fusible.
Veuillez le numéro de série pour connaître la taille et le type de lampe.



Lamps: 4 x EYF 12v 75W
Fuse: 4A

110-120V 50-60Hz
 220-240V 50-60Hz

GLADIATOR



gemini

GLADIATOR



VOLCANO™
American 27®
PROFESSIONAL FOG MACHINES

NEVER ADD
FLAMMABLE SUBSTANCES
USE DEALER RECOMMENDED
FOG FLUID

EMPLOYEZ DES LIQUIDES A
FUMER RECOMMANDÉS PAR
VOTRE REVENDUEUR NE JAMAIS
ENTREMELER DES LIQUIDES
INFLAMMABLES

BITTE NUR DE VOM
HERSTELLER EMPFOHLENE
FLÜSSE ENFÜLLEN MISCHEN SIE
NIEMALS ENTZÜNDBARE FLÜSSIGKEITEN
ANSONDERN

EDINGER









POWER

AC110-125V 60Hz

DIPSWITCHES

OPTION
256
128
64
32
16
8
4
2


DMX IN

DMX OUT

H

MIC





VEI

MODEL: V-9970
FUSE: 5 AMPS
POWER SUPPLY: 120V / 60HZ
LAMP: 24V250W
(1) ELC

MADE IN
TAIWAN





COMMERCIAL
AUDIO
EQUIPMENT
UL
C US
LISTED 607A

CE



POWER

BREAKER

MODEL:
HPR153I,BLK

QSC

QSC AUDIO PRODUCTS, LLC
COSTA MESA, CA USA
MADE IN CHINA

ON

120 V 2.5 A 60HZ

SERIAL: GE9360052 R





COMMERCIAL
AUDIO
EQUIPMENT
UL
C U
LISTED 5071

CE



POWER

BREAKER

MODEL:
HPR1811

QSC

QSC AUDIO PRODUCTS INC.
COSTA MESA CA USA
MADE IN CHINA

120V ~ 2.5A 60Hz

SERIAL
GE9370258



ON



SONY®
MODEL NO. SSC-DC134
AC 24V 60Hz 4W
SER. NO. 129578
SONY CORPORATION MADE IN JAPAN 3-628-884-02



V E I
MODEL: V-9525 AMP
FUSE: 5 AMP
POWER SUPPLY: 120V / 60HZ
LAMP: 24 V250.W
<1> EHJ
MADE IN
TAIWAN





CONFORMS TO
ANSI/UL Std.499
CERTIFIED TO
CAN/CSA LTD.
C22.2 NO.64





CONTROL INPUT
FOR THE REMOTE CONTROL ONLY

WARNING !

- ▶ For adult use only .Never leave fogger running unattended.
- ▶ Use TOV or VEI fog fluid only
- ▶ Do not aim toward face.
- ▶ No user serviceable parts inside
- ▶ Refer to qualified service personnel


FUSE
125V/10A


POWER
AC 110V-.60Hz

Model : Z-80
Name : Party Blaster
Volt : AC 110~120V 60Hz
Fuse : 125V/10A
Heater Power : 800W
Serial No : 20 300031
MADE IN CHINA





CONFORMS TO
ANSI/UL Std. 499
CERTIFIED TO
CAN/CSA LTD.
C22.2 NO.64



CONTROL INPUT
FOR THE REMOTE CONTROL ONLY

WARNING !

- ▶ For adult use only. Never leave fogger running unattended.
- ▶ Use TOV or VEI fog fluid only
- ▶ Do not aim toward face.
- ▶ No user serviceable parts inside
- ▶ Refer to qualified service personnel

FUSE
125V/10A

POWER
AC 110V-60Hz

Model : Z-80
Name : Party Blaster
Volt : AC 110-120V 60Hz
Fuse : 125V/10A
Heater Power : 800W
Serial No : 20 3 00031
MADE IN CHINA



IN

OUT

3-WAY

T53

STAGE SYSTEM

Power Capacity: 300 Watts Nominal Impedance: 8 Ohms

IN

FULL RANGE
PIN 1(+) AND
PIN 1(-); OR
1/4" PHONE

BI-AMP

LF PIN 1(+)

PIN 1(-)

HF PIN 2(+)

PIN 2(-)

CAUTION
THIS SPEAKER SYSTEM IS CAPABLE OF PRODUCING AVERAGE
SOUND PRESSURE LEVELS WHICH CAN CAUSE PERMANENT
HEARING DAMAGE AFTER PROLONGED EXPOSURE.

Ev ELECTRO-VOICE, INC.
BUCHANAN, MICHIGAN
Made in U.S.A.

USA No. 9645A0771

Manufactured Under U.S. Patents
4,528,604, 4,647,632, & 4,624,336
Other Patents Pending

JRX1



Recommended Amplifier Power
250 - 500 watts, 8 ohms



IN / OUT
(PARALLEL JACKS)



±1 Full-Range
±2 N/C

JRX100

MODEL JRX112M

JRX112M-011464



JBL PROFESSIONAL
Northridge, CA USA
Made in USA





ACROBAT

Martin



COMMERCIAL
AUDIO
EQUIPMENT



C US
LISTED 68FA



ER


BREAKER

ON



5
AMP

MODEL:
HPR1531, BLK



QSC AUDIO PRODUCTS, LLC
COSTA MESA, CA USA
MADE IN CHINA

120 V 2.5 A 60HZ

SERIAL: GE9360059 R





AMERICAN DJ, MADE IN TAIWAN
MODEL. SPLITTER
S/N. 27011335
POWER. 115V/AC 60hz
FUSE. 4A. LAMP. ZB-EHJ

WARNING!



CAUTION

UNPLUG UNIT

TO AVOID ELECTRICAL SHOCK!
UNPLUG UNIT
BEFORE SERVICING!

LAMP REPLACEMENT
ONLY USE EXACT SAME
VOLTAGE AND TYPE LAMP

JBL

JRX100



Recommended Amplifier Power
250 - 500 watts, 8 ohms



IN / OUT
(PARALLEL JACKS)



JRX100

±1 Full-Range
±2 N/C

MODEL JRX112M

JRX112M-011463



JBL PROFESSIONAL
Northridge, CA USA
Made in USA







VEI
MODEL: V-987
FUSE: 5 AMPS
POWER SUPPLY: 120V / 60HZ
LAMP: 120 V300 W
(1) 84514
MADE IN TAIWAN

FUSE





FOR PORN TO RELIEVE STRESS...
JUST KIDDING...
DRINK WINE IN YOUR PANTS

CAN'T
ADULT
TODAY



I'M SORRY
ABOUT WHAT
SAID WHEN

WARNING
REDUCE THE RISK OF OVERHEATING

HAPPY
How
IS W
HANG OU

WARNING
RECYCLING



QSC



ERUPTOR V-9980

VEI
MODEL: V-9980
FUSE: 10 AMP
POWER SUPPLY: 120V/60HZ
LAMP: 120 V/800 W
MADE IN
CHINA









ITS
Testing &
Certification



CONFORMS TO
UL STD. 998

CERTIFIED TO
CSA STD. C22
No. 104



WARNING!

DISCONNECT POWER BEFORE CHANGING FUSE
NO USER SERVICEABLE PARTS INSIDE
USE ONLY WITH ADULT SUPERVISION
DO NOT OPERATE WITHOUT LIQUID
FOR INSIDE USE ONLY - KEEP DRY

ATTENTION!

DÉBRANCHER L'APPAREIL AVANT D'ENTREPRENDRE LE DEPANNAGE
NE JAMAIS UTILISER L'APPAREIL SANS LIQUIDE
NE PAS LAISSER ENTRE LES MAINS D'ENFANTS
PROTÉGER DE L'HUMIDITÉ

ACHTUNG!

BEDIENUNG IST NUR ERWACHSENEN PERSONEN GESTATTET
VOR OFFNEN DES GERÄTES NETZSTECKER ZIEHEN
NUR GEEIGNETE FLUID EINFÜLLEN
VOR FEUCHTIGKEIT SCHUTZEN
NIE OHNE FLUID BETREIBEN

CAUTION:
TO REDUCE THE
RISK OF FIRE,
REPLACE ONLY
WITH SAME SIZE
AND TYPE OF FUSE.

120VAC/7A
F315A/230VAC

AMERICAN DJ MADE IN TAIWAN

MODEL: VOLCANO
S/N: 4903252
POWER: 120VAC 60HZ
FUSE: 7A





QC PASS
OPERATOR: _____
DATE: _____

Model: T-212A
Brand: PowerLite
Volt: AC 110-120V 50/60Hz
Lang: 100-800W
Fuse: 125V/15A
Serial No: 20300018
MADE IN CHINA





SPLITTER™
American D9®



| SCORPION STORM RGX | FUNCTION |
|--------------------|------------------------------|
| | DMX MODE |
| | AUTOMATIC FAST (RED) |
| | AUTOMATIC SLOW (RED) |
| | AUTOMATIC FAST (GREEN) |
| | AUTOMATIC SLOW (GREEN) |
| | AUTOMATIC FAST (RED & GREEN) |
| | AUTOMATIC SLOW (RED & GREEN) |
| | SOUND (RED) |
| | SOUND (GREEN) |
| | SOUND (RED & GREEN) |

CHAUVEL Lighting
 3000 N29th Court
 Hollywood FL 33020
 *** 0910010-000 ***

LASER LIGHT
 AVOID DIRECT EYE EXPOSURE
 CLASS 3R LASER PRODUCT
 <8mW 532nm & 650nm 16mSec - CW
 CLASSIFIED PER IEC 60825-1 Ed 2, 2007-03

Complies with FDA performance standards for laser products except for deviations pursuant to Laser Notice No. 50, dated June 24, 2007.


CHAUVEL
 Value. Inspiration. Performance.

WORLDWIDE HEADQUARTERS
 CHAUVEL
 HOLLYWOOD, FLORIDA
 USA

Model: SCORPION™ STORM RGX
 Power: 100-240VAC 50/60Hz
 Fuse: T1.6A 250V
 Origin: MADE IN CHINA
 S/N: 09041369
 Manufacturing Date: Apr. 2009

THIS APPLIANCE MUST BE EARTHED
 USE ONLY FUSE OF RATING SHOWN
 DISCONNECT FROM MAINS BEFORE SERVICING
 FOR INDOOR USE ONLY

WARRANTY
 If you're a member of our team...



Foshan Ideal Lighting & Crafts Co., Ltd.

FOGGER

MODEL: FM400-2

RATED VOLTAGE: AC 120V, 60Hz

POWER: 400W

CAUTION:

1. For indoor use only.
2. Observe user's instruction carefully.
3. Never use this machine at unintended place.
4. To provide continued protection against risk of electric shock, connected to properly grounded outlets only.

MADE IN CHINA MAR, 2011



INTERTEK
4002631

CONFORMS TO UL STD. 499

CERTIFIED TO CSA STD. C22.2 NO. 64

NS
IL



NO LIQUID

Serial Number



05070789-0516002797

HURRICANE™
1301

CHAUVET.2 CE RoHS

CHAUVET WORLDWIDE HEADQUARTERS
SUNRISE, FLORIDA USA

| | |
|--------------------|--|
| MODEL (120 V): | H1301 |
| TYPE: | VERSION 1 |
| ITEM CODE (120 V): | 05070789 |
| FUSE (120 V): | F 13 A, 250 V |
| ORIGIN: | MADE IN P.R.C. |
| USA/CANADA: | Power: AC 100-125 V, 60 Hz, 10 A, 1200 W |

THIS APPLIANCE MUST BE GROUNDING
USE ONLY FUSE OF SAME TYPE & RATING
NOT FOR HOUSEHOLD USE
IMPROPER A L USAGE DOMESTIQUE
ONLY LICENSED
REPLACEMENTS SECS
DISCONNECT POWER BEFORE SERVICING
CA

120V-60Hz/10A



MFL



LED Laser Effect light
MF-E2
LED Laser Effect light
MF-E1





8888

MIC

MENU ▲ ▼ ENTER

ADKINS PROFESSIONAL LIGHTING
AdkinsProLighting.com

LED DERBY

D.C. PROTECT

DMX IN



DMX OUT



AC POWER INPUT
110-120VAC / 50-60Hz 30W

New
Model 1
MFL Stage Laser Light for Home Nightclub DJ
X000ZQRVFR
[Barcode]

MFL

LED Laser Effect light

MF-E2

LED Laser Effect light

MF-E1



